

BULL FOR WORK THAT MATTERS.

www.kaliberfootwear.co.za

CONTACT US

T 011 440 9700

sales@kaliberfootwear.co.za

www.kaliberfootwear.co.za

27 Thora Crescent, Wynberg Johannesburg, 2090



SECURITY FOOTWEAR



SAFETY FOOTWEAR



AGRICULTURAL FOOTWEAR





INTRODUCTION



INTRODUCTION

Kaliber is split in 3 categories for the protectors (security footwear), the creators (safety footwear), and the growers (agricultural footwear).

01

YOUR TRUSTED PARTNER

There's no compromise on safety when doing work that matters. Step into comfort and safety with Kaliber!

02



When protectors need protection, the choice is Kaliber

04

SAFETY FOOTWEAR

When you're a creator, a labourer who labours on any ground,

10

AGRICULTURAL FOOTWEAR

Keeping you protected from farm to field.

18



The Protectors

Secure footwear is your line of defence.

Keeping you protected so that you can protect.

Built for work that matters.



The Creators

Safe footing. On any ground.

Choose safety shoes you can count on...

Built for work that matters.



The Growers

Keeping you safe to cover more ground Farm-friendly protective footwear.

Built for work that matters.



YOUR TRUSTED PARTNER

At Kaliber, we manufacture safety & security footwear that protects workers across various industries. Our expansive role as a distributor allows us to offer our top-quality products at exceptionally competitive rates.

There's no compromise on safety when doing work that matters. Step into comfort and safety with Kaliber!











Guardian Brown

PRODUCT DESCRIPTION Classic Combat Security Boot

FT007-1211

Brown

Security & Tactical

Dual Density PU / PU Sole

(Heat-resistant up to 95°C)

Injection Moulded Process

High Quality Full Grain Leather

Dual Density Polyurethane (PU)

Black Polyester Mesh & Microfiber

PU Moulded Comfort Insole

Round Metal Eyelets

with PU Mesh

PRODUCT CODE

INDUSTRY

COLOUR:

SIZE RANGE:

SLIP RESISTANCE

CLASSIFICATION:

CONSTRUCTION:

NRCS APPROVAL:

MATERIALS

UPPER:

SOLE:

EYELETS:

LINING:

TOE CAP:

INSOLE:

UPPER:

OTHER:

INFORMATION

ISO 20345 CLASSIFICATION:





Guardian Black

PRODUCT DESCRIPTION Classic Combat Security Boot PRODUCT CODE SFT007-1201 **INDUSTRY** Security & Tactical

INFORMATION

COLOUR: Black SIZE RANGE: 3-13

ISO 20345 CLASSIFICATION: Dual Density PU / PU Sole (Heat-resistant up to 95°C)

SLIP RESISTANCE

CLASSIFICATION: SRA

CONSTRUCTION: Injection Moulded Process

NRCS APPROVAL: N/A

MATERIALS

UPPER: High Quality Full Grain Leather SOLE: Dual Density Polyurethane (PU) EYELETS: Round Metal Eyelets LINING: Black Polyester Mesh & Microfiber TOE CAP: INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

UPPER: N/A N/A MIDSOLE: OTHER: N/A





























N/A

N/A

N/A









PRODUCT DESCRIPTION Safety Security Boot PRODUCT CODE SFT007-1011

INDUSTRY Mining, Chemical and Petrochemical, Security and Tactical

INFORMATION

COLOUR: Black SIZE RANGE: 3-13

ISO 20345 Classification: SB - Energy Absorption of Seat Region, Resistance to Fuel and Oil

SLIP RESISTANCE

CLASSIFICATION: SRA

CONSTRUCTION: Injection Moulded Process NRCS APPROVAL: NRCS/9002/288040/0126

MATERIALS

UPPER: High Quality Barton Print Split

SOLE: Dual Density Polyurethane (PU) EYELETS: Round Metal Eyelets

LINING: Black Polyester Mesh & Microfiber TOE CAP: 200 Joules Steel Toe Cap INSOLE: EVA Insole with Polyester Mesh

SPECIAL FEATURES

UPPER: N/A N/A MIDSOLE: OTHER: N/A





















Reaction

PRODUCT DESCRIPTION Combat Safety Security Boot

PRODUCT CODE SFT007-1004 **INDUSTRY** Mining, Chemical and Petrochemical,

Security and Tactical

INFORMATION

COLOUR: Black SIZE RANGE: 3-13

ISO 20345 CLASSIFICATION: SB - Energy Absorption of Seat Region, Resistance to Fuel and Oil

SLIP RESISTANCE

CLASSIFICATION:

CONSTRUCTION: Injection Moulded Process NRCS APPROVAL: NRCS/9002/288040/0100

MATERIALS

LIPPER: High Quality Smooth

Buffalo Leather SOLE: Dual Density Polyurethane (PU) EYELETS: Nickel Free D-rings & Round Metal LINING: Black Polyester Mesh & Microfiber TOE CAP: 200 Joules Steel Toe Cap INSOLE: PU Moulded Comfort Insole with

PU Mesh

SPECIAL FEATURES

UPPER: N/A

SIP - Steel Midsole Anti-Penetration MIDSOLE: OTHER:





















Patriot Black

PRODUCT DESCRIPTION Classic Security Boot with Side Zip PRODUCT CODE SFT007-1113 **INDUSTRY** Security & Tactical **INFORMATION** COLOUR: Black SIZE RANGE: 3-13 ISO 20345 CLASSIFICATION: Dual Density PU / PU Sole (Heat-resistant up to 95°C) SLIP RESISTANCE CLASSIFICATION: CONSTRUCTION: Injection Moulded Process

MATERIALS

NRCS APPROVAL:

UPPER: High Quality Smooth Buffalo Leather

SOLE: Dual Density Polyurethane (PU) EYELETS: Round Metal Eyelets

LINING: Black Polyester Mesh & Microfiber

TOE CAP:

PU Moulded Comfort Insole INSOLE:

with PU Mesh

SPECIAL FEATURES

UPPER: N/A MIDSOLE: N/A N/A OTHER:

















Sentry

PRODUCT DESCRIPTION Affordable Security Boot

PRODUCT CODE SFT007-1012

INDUSTRY Security & Tactical

INFORMATION

COLOUR: Black SIZE RANGE: 3-13

ISO 20345 CLASSIFICATION: NSTC, Polyester Upper, PU Injected

Moulded Sole

SLIP RESISTANCE

CLASSIFICATION:

CONSTRUCTION: Injection Moulded Process

NRCS APPROVAL: N/A

MATERIALS

UPPER: Polyester SOLE: Single Density PU Sole

EYELETS: Round Metal Eyelets LINING: Black Polyester Mesh & Microfiber

TOE CAP: NSTC

INSOLE: EVA Insole with Polyester Mesh

SPECIAL FEATURES

UPPER: N/A MIDSOLE: N/A N/A OTHER:

















Tactical

PRODUCT DESCRIPTION Classic Combat Security Boot

PRODUCT CODE SFT007-3020

INDUSTRY Security & Tactical

INFORMATION

COLOUR: Black SIZE RANGE: 3-13

ISO 20345 CLASSIFICATION: The EVA midsole adds extra

> comfort and energy absorption. The carbon rubber outsole provides grip & durability

SLIP RESISTANCE

CLASSIFICATION:

CONSTRUCTION: Injection Moulded Process

NRCS APPROVAL:

MATERIALS

UPPER: High Quality Full Grain Leather

SOLE: EVA and Rubber EYELETS: Round Metal Eyelets

LINING: Black Polyester Mesh & Microfiber

TOE CAP:

INSOLE: Compression Moulded EVA Insole

SPECIAL FEATURES

UPPER: N/A MIDSOLE: N/A OTHER: N/A



















Hawk

PRODUCT DESCRIPTION Heavy Duty Safety Boot

PRODUCT CODE

SFT007-1212

INDUSTRY

Agriculture, Chemical and Petrochemical, Construction,

General Applications

INFORMATION

COLOUR: SIZE RANGE:

ISO 20345 CLASSIFICATION:

SI - Anti-static, Energy Absorption of Seat Region, Resistance to Fuel

and Oil

Black

SLIP RESISTANCE

CLASSIFICATION:

CONSTRUCTION: Injection Moulded Process NRCS APPROVAL:

NRCS/9002/288040/0322

MATERIALS

UPPER: High Quality Full Grain Leather SOLE: Dual Density Polyurethane (PU)

Nickel Free D-rings EYELETS:

LINING: Black Polyester Mesh & Microfiber

TOE CAP: 200 Joules Steel Toe Cap INSOLE: PU Moulded Comfort Insole

with PU Mesh

SPECIAL FEATURES

UPPER: Hi-Viz Reflective Safety Strip

























Celeste

PRODUCT DESCRIPTION Light Industrial | Warehouse | Ladies Lace Up Safety Shoe

PRODUCT CODE SFT010-1002 **INDUSTRY** Construction, General Applications, Mining, Transport

INFORMATION

COLOUR: Black SIZE RANGE: 2-9

ISO 20345 CLASSIFICATION: SB - Energy Absorption of Seat Region, Resistance to Fuel and Oil

SLIP RESISTANCE CLASSIFICATION:

SRA

Injection Moulded Process CONSTRUCTION: NRCS APPROVAL: NRCS/9002/288040/0069

MATERIALS

UPPER: High Quality Smooth Split Leather SOLE: Dual Density Polyurethane (PU) EYELETS: Round Metal Eyelets LINING: Black Polyester Mesh & Microfiber TOE CAP: 200 Joules Steel Toe Cap INSOLE: EVA Insole with Polyester Mesh

SPECIAL FEATURES

UPPER: N/A MIDSOLE: N/A N/A OTHER:























PRODUCT DESCRIPTION General Purpose Safety Shoe

PRODUCT CODE SFT007-1002 INDUSTRY Agriculture, Construction & General Applications

INFORMATION

COLOUR: SIZE RANGE: 3-13

ISO 20345 CLASSIFICATION: SIP - Anti-Static, Energy Absorption of Seat Region, Resistance to Fuel

and Oil, Anti-Penetration

SLIP RESISTANCE CLASSIFICATION:

CONSTRUCTION: Injection Moulded Process NRCS APPROVAL: NRCS/9002/288040/0017

MATERIALS

UPPER: High Quality Barton Print Split Leather SOLE: Dual Density Polyurethane (PU) EYELETS: Nickel Free D-rings LINING: Black Polyester Mesh & Microfiber TOE CAP: 200 Joules Steel Toe Cap INSOLE: EVA Insole with Polyester Mesh

SPECIAL FEATURES

UPPER: Hi-Viz Reflective Safety Strip MIDSOLE: SIP - Steel Midsole Anti-Penetration OTHER:



















PRODUCT DESCRIPTION Safety Boot with Anti-penetration

PRODUCT CODE SFT007-1008 **INDUSTRY** Agriculture, Construction & General Applications

INFORMATION

COLOUR: SIZE RANGE:

ISO 20345 CLASSIFICATION: SIP – Anti-Static, Energy Absorption of Seat Region, Resistance to Fuel

and Oil, Anti-penetration

SLIP RESISTANCE

CLASSIFICATION:

CONSTRUCTION: Injection Moulded Process NRCS APPROVAL: NRCS/9002/288040/0095

MATERIALS

UPPER: High Quality Smooth Buffalo Leather SOLE: Dual Density Polyurethane (PU) EYELETS: Black Polyester Mesh & Microfiber LINING: TOE CAP: 200 Joules Steel Toe Cap INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

MIDSOLE: SIP - Steel Midsole Anti-penetration



















Chelsea Brown

PRODUCT DESCRIPTION Safety Boot with Anti-penetration

PRODUCT CODE SFT007-1006 **INDUSTRY** Agriculture, Construction & General Applications

INFORMATION

COLOUR: Brown SIZE RANGE: 3-13

ISO 20345 CLASSIFICATION: SIP - Anti-Static, Energy Absorption of Seat Region, Resistance to Fuel

and Oil, Anti-penetration

SLIP RESISTANCE

CLASSIFICATION:

CONSTRUCTION: Injection Moulded Process NRCS APPROVAL: NRCS/9002/288040/0095

MATERIALS

High Quality Full Grain Leather UPPER: SOLE: Dual Density Polyurethane (PU) EYELETS: LINING: Black Polyester Mesh & Microfiber TOE CAP: 200 Joules Steel Toe Cap INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

MIDSOLE: SIP - Steel Midsole Anti-penetration





















Hammer Brown

PRODUCT DESCRIPTION Work Boot with Supreme Comfort

SFT007-3020

Agriculture, Mining, Construction

and Oil

SRC

Metal Free Safety Boot, Engineering, Hospitality,

SI - Anti-static, Energy Absorption

of Seat Region, Resistance to Fuel

Injection Moulded Process

NRCS/9002/288040/0471

Oily Full Grain Leather

Dual Density Polyurethane (PU)

Black Polyester Mesh & Microfiber

200| Composite Non-Metallic

PU Moulded Comfort Insole

with PU Mesh

PRODUCT CODE

INFORMATION

SLIP RESISTANCE

CLASSIFICATION:

CONSTRUCTION:

NRCS APPROVAL:

MATERIALS

UPPFR:

SOLE:

EYELETS:

LINING:

TOE CAP:

INSOLE:

UPPER:

SPECIAL FEATURES

ISO 20345 CLASSIFICATION:

INDUSTRY

COLOUR:

SIZE RANGE:





Hammer Black

PRODUCT DESCRIPTION Work Boot with Supreme Comfort

PRODUCT CODE SFT007-3021

INDUSTRY Metal Free Safety Boot, Engineering, Hospitality, Agriculture, Mining, Construction

INFORMATION

COLOUR: Black SIZE RANGE: 3-13

ISO 20345 CLASSIFICATION: SI - Anti-static, Energy Absorption

of Seat Region, Resistance to Fuel

and Oil

SLIP RESISTANCE

CLASSIFICATION: SRC

CONSTRUCTION: Injection Moulded Process NRCS APPROVAL: NRCS/9002/288040/0471

MATERIALS

UPPER: Oily Full Grain Leather SOLE: Dual Density Polyurethane (PU)

EYELETS:

LINING: Black Polyester Mesh & Microfiber TOE CAP: 200| Composite Non-Metallic PU Moulded Comfort Insole INSOLE:

with PU Mesh

SPECIAL FEATURES

UPPER: Thermoplastic Polyurethane (TPU)

Toe Bumper for Added Scuff

































Thermoplastic Polyurethane (TPU)

Toe Bumper for Added Scuff





PRODUCT DESCRIPTION Heavy Duty / Heat Resistant Safety Boot

PRODUCT CODE SFT007-1105

INDUSTRY Agriculture, Construction & General Applications

INFORMATION

COLOUR: SIZE RANGE: 3-13

ISO 20345 CLASSIFICATION: S2 - Anti-static, Energy Absorption of Seat Region, Resistance to Fuel

and Oil with Water Resistant Coating

SLIP RESISTANCE

CLASSIFICATION:

CONSTRUCTION: Injection Moulded Process NRCS APPROVAL: NRCS/9002/288040/0157

MATERIALS

UPPER: High Quality Full Grain Leather SOLE: Dual Density Polyurethane (PU) EYELETS: Nickel Free D-rings LINING: Black Polyester Mesh & Microfiber 200 Ioules Steel Toe Cap TOE CAP: PU Moulded Comfort Insole INSOLE:

with PU Mesh

SPECIAL FEATURES

UPPER: Hi-Viz Reflective Safety Strip MIDSOLE: PU / Rubber Sole Heat Resistant to

300 Degrees



















PRODUCT DESCRIPTION Light Industrial | Warehouse | Drivers

PRODUCT CODE SFT007-1104

INDUSTRY Construction & General Applications

INFORMATION

COLOUR: Black 3-13 SIZE RANGE:

ISO 20345 CLASSIFICATION: SI - Anti-static, Energy Absorption

of Seat Region, Resistance to Fuel

and Oil

SLIP RESISTANCE

CLASSIFICATION: SRA

CONSTRUCTION: Injection Moulded Process NRCS APPROVAL: NRCS/9002/288040/0131

MATERIALS

UPPFR: **KPU Mesh**

SOLE: Dual Density Polyurethane (PU)

EYELETS: Round KPU Eyelets LINING:

Black Polyester Mesh & Microfiber TOE CAP: 200 Joules Steel Toe Cap INSOLE: PU Moulded Comfort Insole

with PU Mesh

SPECIAL FEATURES

UPPER: N/A MIDSOLE: N/A OTHER: N/A





















Jackal Shoe

SFT007-1009

Black

2-13

Light Industrial/Affordable Safety Shoe

Agriculture, Construction

SB - Energy Absorption of Seat

Region, Resistance to Fuel & Oil

High Quality Barton Print Split Leather

Injection Moulded Process

NRCS/9002/288040/0029

Dual Density Polyurethane (PU)

Black Polyester Mesh & Microfiber

EVA Insole with Polyester Mesh

Round Metal Eyelets

200 Joules Steel Toe Cap

& General Applications

PRODUCT DESCRIPTION

PRODUCT CODE

INDUSTRY

COLOUR:

SIZE RANGE:

SLIP RESISTANCE

CLASSIFICATION:

CONSTRUCTION:

NRCS APPROVAL:

MATERIALS

UPPER:

SOLE:

EYELETS:

LINING:

TOE CAP:

INSOLE:

UPPER:

MIDSOLE:

OTHER:

INFORMATION

ISO 20345 CLASSIFICATION:





Jackal Boot

PRODUCT DESCRIPTION Light Industrial/Affordable Safety Boot

PRODUCT CODE SFT007-1007 **INDUSTRY** Agriculture, Construction & General Applications

INFORMATION

COLOUR: Black SIZE RANGE: 3-13

ISO 20345 CLASSIFICATION: SB - Energy Absorption of Seat Region, Resistance to Fuel & Oil

SLIP RESISTANCE

CLASSIFICATION:

CONSTRUCTION: Injection Moulded Process NRCS/9002/288040/0054 NRCS APPROVAL:

MATERIALS

UPPER: High Quality Barton Print Split Leather SOLE: Dual Density Polyurethane (PU) EYELETS: Nickel Free D-Rings Black Polyester Mesh & Microfiber LINING:

200 Joules Steel Toe Cap TOE CAP: INSOLE: EVA Insole with Polyester Mesh

SPECIAL FEATURES

UPPER: N/A MIDSOLE: N/A OTHER: N/A





















SPECIAL FEATURES







N/A

N/A

N/A









Raptor Ex

PRODUCT DESCRIPTION Mining, Construction, General Safety

PRODUCT CODE SFT007-1001 **INDUSTRY** Agriculture, Construction & General Applications

INFORMATION

COLOUR: Black SIZE RANGE: 3-13

ISO 20345 CLASSIFICATION: SIP - Anti-Static, Energy Absorption of Seat Region, Resistance to Fuel

and Oil, Anti-Penetration

SLIP RESISTANCE

CLASSIFICATION:

CONSTRUCTION: Injection Moulded Process NRCS/9002/288040/0011 NRCS APPROVAL:

MATERIALS

UPPER: High Quality Smooth Split Leather SOLE: Dual Density Polyurethane (PU) **EYELETS:** Nickel Free D-rings LINING: Black Polyester Mesh & Microfiber TOE CAP: 200 Joules Steel Toe Cap INSOLE: PU Moulded Comfort Insole with PU Mesh

SPECIAL FEATURES

UPPER: Hi-Viz Reflective Safety Strip MIDSOLE: SIP - Steel Midsole Anti-Penetration





















Raptor

PRODUCT DESCRIPTION Mining, Construction, General Safety

PRODUCT CODE SFT007-1001 **INDUSTRY** Agriculture, Construction & General Applications

INFORMATION

COLOUR: Black SIZE RANGE: 2-16

ISO 20345 CLASSIFICATION: SIP - Anti-Static, Energy Absorption

of Seat Region, Resistance to Fuel

and Oil, Anti-Penetration

SLIP RESISTANCE

CLASSIFICATION: SRA

CONSTRUCTION: Injection Moulded Process NRCS/9002/288040/0011 NRCS APPROVAL:

MATERIALS

UPPER: High Quality Smooth Split Leather SOLE: Dual Density Polyurethane (PU) EYELETS: Nickel Free D-rings

LINING: Black Polyester Mesh & Microfiber

TOE CAP: 200 Joules Steel Toe Cap INSOLE:

PU Moulded Comfort Insole with

PU Mesh

SPECIAL FEATURES

UPPER: Hi-Viz Reflective Safety Strip MIDSOLE: SIP - Steel Midsole Anti-Penetration























Ripsaw

PRODUCT DESCRIPTION Classic Non Steel Toe Cap

PRODUCT CODE SFT007-3010

INDUSTRY Especially suited to Hospitality-type applications, Outdoor applications like Farming, Light Industrial Applications but most particularly to someone who is on their feet all day. Work Boots or Dress Boots.

INFORMATION

COLOUR: Brown SIZE RANGE: 5-13 ISO 20345 CLASSIFICATION: Conforms

SLIP RESISTANCE

CLASSIFICATION:

CONSTRUCTION: Injection Moulded Process

NRCS APPROVAL: N/A

MATERIALS

UPPER: Oily Full Grain Leather SOLE: Dual Density Polyurethane (PU)

EYELETS: Slip-On

LINING: Black Polyester Mesh and Microfiber

TOE CAP: NSTC

INSOLE: PU Moulded Comfort Insole with

PU Mesh

SPECIAL FEATURES

Thermoplastic Polyurethane (TPU)

Toe Bumper for added Scuff Protection

















